,			OIPE		į.				
	• • •		JUL 2				Page 1 of 3		
FOR	M PTO-14	19 (Modified) 🚡	زي	Attorney Docket No.: 17	634-000320US	Application No	:: 09/083,793 EI		
LIST	COF PATE	NTS AND PUBLIC	ATIONS FOR	Applicant: Brian R. Mur	phy et al.				
WLL	LICANI 3	INFORMATION D Use several sheets i	VISCISIONE	Filing Date: May 22, 1998		Group: 1641	AUG 03 270		
	erence Desig			.S. PATENT DOCUME	NTS	<u> </u>	Filing Date		
	miner Initial	Document No.	Date	Name	Class	Sub-class			
-							(If Appropriate)		
							 		
		<u> </u>	FOR	EIGN PATENT DOCUM	MENTS				
		Document No.	Date	Country	Class	Sub-class	Translation		
	 			<u> </u>			(Yes/No)		
		OTI	IFR ART (Inclu	ding Author, Title, Date	Pertinent Pages	Ftc)			
M	MCA	T		t Virus from Cloned cDNA					
	СВ		<u>-</u>	vine Respiratory Syncytia			IS2 Is Not		
			s Replication in T	Tissue Culture, and the Hu					
	СС				ial Virus Expressin	g an Additional. Fo	oreign Gene." J.		
		Bukreyev, et al., "Recovery of Infectious Respiratory Syncytial Virus Expressing an Additional, Foreign Gene," <u>J. Virol.</u> 70:6634-41, 1996							
	CD	Bukreyev, et al., "Interferon γ Expressed by a Recombinant Respiratory Syncytial Virus Attenuates Virus Replication in Mice Without Compromising Immunogenicity," <u>Proc. Nat. Acad. Sci. USA</u> 96:2367-2372, 1999							
	CE	Cadd et al., "The Sendai Paramyxiovirus Accessory C Proteins Inhibit Viral Genome Amplification in Promoter-Specific Fashion," J. Virol. 70:5067-74, 1996							
	CF	Curran, et al., "Sendai Virus P Gene Produces Multiple Proteins from Overlapping Open Reading Frames," Enzyme 44:244-249, 1990							
	CG	Curran, et al., "The Sendai Virus Nonstructural C Proteins Specifically Inhibit Viral mRNA Synthesis," Virology 189:647-656, 1992							
	СН	Delenda, et al., "Normal Cellular Replication of Sendai Virus Without the <i>trans</i> -Frame, Nonstructural V Protein," Virology 228:55-62, 1997							
	CI	Delenda et al., "Sendai Viruses with Altered P. V, and W Protein Expression," Virology 242:327-337, 1998							
	CJ	Finke et al. "Ambisense Gene Expression for Recombinant Rabies Virus: Random Packaging of Positive- and Negative-Strand Ribonucleoprotein Complexes into Rabies Virions," J. Virol. 71:7281-7288, 1997							
4	CK	Galinski et al., "Molecular Cloning and Sequence Analysis of the Human Parainfluenza 3 Virus mRNA Encoding the P and C Proteins," Virology 155:46-60, 1986							
\exists	CL	Garcin et al., "A Point Mutation in the Sendai Virus Accessory C Proteins Attenuates Virulence for Mice, But Not Virus Growth in Cell Culture," Virology 238:424-431, 1997							
7	CM	Hasan et al., "Creation of an Infectious Recombinant Sendai Virus Expressing the Firefly Luciferase Gene from the 3' Proximal First Locus," J. Gen. Virol. 78:2813-20, 1997							
+	CN	 		SV5 from Cloned DNA an	d Expression of a F	oreign Gene," <u>Vir</u>	ology 237:249-		
	co		n Infectious Clo	ne of Human Parainfluenz	a Virus Type 3," J.	Virol. 71:4272-42	77, 1997		
-	CP	Itoh et al., "Isolation of an Avirulent Mutant of Sendai Virus with Two Amino Acid Mutations from a Highly Virulent Field Strain Through Adaption to LLC-MK ₂ Cells," J. Gen. Virol. 78:3207-3215, 1997							
-	CQ		binant Human Re	espiratory Syncytial Virus			of Subgroup A		

DATE CONSIDERED

Modey

EXAMINER

Page 2 of 3

APPLICANT'S INFORMATION DISCRESSIBLE STATEMENT (Use several sheets in necessary) A CR Immunodeficiency Virus Envelope Proteins, "Lying." 17:506-5068, 1997 CS Juhasz et al., "The Temperature-Sensitive (19) Phonotype of a Cold-Passaged (2p) Live Attenuated Respiratory Syncytial Virus Vaccine Candidate, Designated cpts 30, Results from a Single Amino Acid Substitution in the L Protein," "Lying." 17:5814-581, 1997 CT Kahn et al., "Recombinant Vesicular Stomatitis Virus Expressing Respiratory Syncytial Virus (RSV) Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion," Virology 25481-91, 1999 CU Karnon et al., "At live Human Parainfluenza Type 3 Virus Vaccine is Attenuated and Immunogenic in Healthy Infants and Children," J. Inf. Dis. 172:1445-1450, 1995b CV Kato et al., "importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis," J. Virol. 71:7266-7272, 1997 CW Kretzschmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316, 1996 CX Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinant Vesicular Stomatitis Viruses," J. Virol. 71:3982-5989, 1997 CY Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytal Virus," J. Virol. 70:5982-6901, 1996 CZ Kurotani et al., "Sendai Virus C Proteins are Categorically Nonesestinal Gene Products but Stiencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 DA Latorre et al., "The Various Sendai Virus C Proteins are A Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral PNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 DB Matsuoka et al., "The Various Sendai Virus C Proteins are A Negative Effects on Viral PNA Accumulation During the Course of Infection," J. Virol. 73:3923-3732, 1999 DC Mebats		· JUL 2	00 5		Page 2 of 3			
APPLICANT'S INFORMATION DISCRESSIBLE STATEMENT (Use several sheets in necessary) A CR Immunodeficiency Virus Envelope Proteins, "Lying." 17:506-5068, 1997 CS Juhasz et al., "The Temperature-Sensitive (19) Phonotype of a Cold-Passaged (2p) Live Attenuated Respiratory Syncytial Virus Vaccine Candidate, Designated cpts 30, Results from a Single Amino Acid Substitution in the L Protein," "Lying." 17:5814-581, 1997 CT Kahn et al., "Recombinant Vesicular Stomatitis Virus Expressing Respiratory Syncytial Virus (RSV) Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion," Virology 25481-91, 1999 CU Karnon et al., "At live Human Parainfluenza Type 3 Virus Vaccine is Attenuated and Immunogenic in Healthy Infants and Children," J. Inf. Dis. 172:1445-1450, 1995b CV Kato et al., "importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis," J. Virol. 71:7266-7272, 1997 CW Kretzschmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316, 1996 CX Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinant Vesicular Stomatitis Viruses," J. Virol. 71:3982-5989, 1997 CY Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytal Virus," J. Virol. 70:5982-6901, 1996 CZ Kurotani et al., "Sendai Virus C Proteins are Categorically Nonesestinal Gene Products but Stiencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 DA Latorre et al., "The Various Sendai Virus C Proteins are A Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral PNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 DB Matsuoka et al., "The Various Sendai Virus C Proteins are A Negative Effects on Viral PNA Accumulation During the Course of Infection," J. Virol. 73:3923-3732, 1999 DC Mebats			.47	torney Docket No.: 17634-000320US	Application No.: 09/083,793			
STATEMENT (Use several sheets if necessary) Iring Date: May 22, 1999 Inhasor et al., "Specific Targeting to CD4+ Cells of Recombinant Vesicular Stomatitis Viruses Encoding Human Immunodeficiency Virus Envelope Proteins," J. Virol. 71:5060-5068, 1997 Inhasz et al., "The Temperature-Sensitive (a) Phenotype of a Cold-Passaged (a) Live Attenuated Respiratory Syncytial Virus Vaccine Candidate, Designated or persons a Single Annia Acid Substitution in the L Protein." J. Virol. 71:5814-5819, 1997 CT Kahn et al., "Recombinant Vesicular Stomatitis Virus Expressing Respiratory Syncytial Virus (RSV) Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion." Virology 254:81-91, 1999 CU Karron et al., "A Live Human Parainfluenza Type 3 Virus Vaccine Is Attenuated and Immunogenic in Healthy Infants and Children," J. Int. Dis. 172:1445-1450, 1995b CV Kato et al., "Importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis." J. Virol. 71:2662-7272, 1997 CW Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316, 1996 CX Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinant Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 CY Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," J. Virol. 70:6982-6901, 1996 CZ Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Categories of Infection", J. Virol. 72:5984-5993, 1998 DA Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exer both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection", J. Virol. 72:5994-5993, 1998 DB Matsuoka et al., "The Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-Rich V Protein," J. Virol. 65:3								
Immunodeficiency Vinus Envelope Proteins," J. Virol, 71:5060-5068, 1997	STATEMENT (Use several sheets if necessary)					
Syncytial Virus Vaccine Candidate, Designated <i>eps</i> 530, Results from a Single Amino Acid Substitution in the L Protein, "L Virol, 71:5814-5819, 1997 CT Kahn et al., "Recombinant Vesicular Stomatitis Virus Expressing Respiratory Syncytial Virus (RSV) Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion," <u>Virology</u> 254:81-91, 1999 CU Karno et al., "A Live Human Parainfluenza Type 3 Virus Vaccine Is Attenuated and Immunogenic in Healthy Infants and Children," <u>I. Inf. Dis.</u> 172:1445-1450, 1995b CV Kato et al., "Importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendal Virus Pathogenesis," <u>J Virol.</u> 21:7266-7272, 1997 CW Kretzschmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," <u>Virology</u> 216:309-316, 1996 CX Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinant Vesicular Stomatitis Viruses," <u>J. Virol.</u> 71:5982-5989, 1997 CY Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytal Virus," <u>J. Virol.</u> 70:6892-6901, 1996 CZ Kuo et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," <u>Genes to Cells</u> 3:111-124, 1998 DA Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," <u>J. Virol.</u> 72:5984-5993, 1998 Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type I Encodes P and C Proteins but not a Cysteine-Rich V Protein," <u>J. Virol.</u> 55:3406-3410, 1991 DD Mebatsion et al., "High Stable Expression of a Foreign Gene from Rabies Virus Vectors," <u>Proc. Natl. Acad. Sci. U.S.A</u> 93:7310-7314, 1996 DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1c by a Sendai Virus Vectors," <u>P. Liviol.</u> 72:3723-3732	MMCR							
CIV	Cs	Syncytial Virus Vaccine Candidate, Designated cpts530, Results from a Single Amino Acid Substitution in the L						
Infants and Children," J. Inf. Dis. 172:1445-1450, 1995b CV Kato et al., "Importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis," J Virol, 71:7266-7272, 1997 CW Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316, 1996 CX Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinant Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 CY Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," J. Virol. 70:6892-6901, 1996 CZ Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1996 DA Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," L. Virol. 72:5984-5993, 1998 DB Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-Rich V Protein," J. Virol. 65:3406-3410, 1991 DC Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S.A. 93:7310-7314, 1996 DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 72:4704-4711, 1998	СТ							
CW Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316, 1996 CX Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinant Vesicular Stomatitis Viruses," 1. Virol. 71:5982-5989, 1997 CY Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," 1. Virol. 70:6892-6901, 1996 CZ Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 DA Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," 1. Virol. 72:5984-5993, 1998 DB Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-Rich V Protein," 1. Virol. 63:3406-3410, 1991 DC Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S. A 93:7310-7314, 1996 DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Auccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach	CU							
CX Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinant Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 CY Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," J. Virol. 70:6892-6901, 1996 CZ Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 DA Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 DB Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-Rich V Protein," J. Virol. 65:3406-3410, 1991 DC Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S. A 93:7310-7314, 1996 DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1a by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Accomation with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Alegative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al	CV	Kato et al., "Importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis						
Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 CY Kuo et al., "Effect of Mutations in the Gene-Start and Gene-Start Start St	CW	Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-31						
Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus, "J. Virol, 70:6892-6901, 1996 CZ Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 DA Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 DB Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-Rich V Protein," J. Virol. 65:3406-3410, 1991 DC Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S. A 93:7310-7314, 1996 DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Vaccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainflu	cx	Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombin						
Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 DA Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 DB Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-Rich V Protein," J. Virol. 65:3406-3410, 1991 DC Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S. A 93:7310-7314, 1996 DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Accination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus." J. Virol. 70:2318-2323,	CY	Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of						
Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 DB Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-Rich V Protein," J. Virol. 65:3406-3410, 1991 DC Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U S A 93:7310-7314, 1996 DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Vaccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particl	CZ	Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their						
Rich V Protein," J. Virol. 65:3406-3410, 1991 DC Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S. A 93:7310-7314, 1996 DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:3001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Vaccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," <u>Virology</u> 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," <u>FEBS Letters</u> 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," <u>Virology</u> 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," <u>Proc. Natl. Acad. Sci. USA</u> 93:11359-11365, 1996	DA	Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and						
DD Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Vaccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DB	Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-						
Vector," FEBS Lett. 425:105-111, 1998 DE Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Vaccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DC	USA 93:7310-7314, 1996 Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus						
Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 DF Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Vaccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DD							
Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 DG Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," J. Virol. 73:3723-3732, 1999 DH Roberts et al., "Vaccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DE DE							
DH Roberts et al., "Vaccination with a Recombinant Vesicular Stomatitis Virus Expressing an Influenza Virus Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DF							
Hamagglutinin Provides Complete Protection from Influenza Virus Challenge," J. Virol. 72:4704-4711, 1998 DI Roberts et al., "Recovery of Negative-Strand RNA Viruses from Plasmid DNAs: A Positive Approach Revitalizes a Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DG	Roberts et al., "Attenuated Vo	esicular S	tomatitis Viruses as Vaccine Vectors," J. V	<u>irol</u> . 73:3723-3732, 1999			
Negative Field," Virology 247:1-6, 1998 DJ Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DH							
Replication," FEBS Letters 456:221-226, 1999 DK Sanchez et al., "Cloning and Gene Assignment of mRNAs of Human Parainfluenza Virus 3," Virology 147:177-186, 1985 DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DI				A Positive Approach Revitalizes a			
DL Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DJ	Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And						
Gene in Vesicular Stomatitis Virus," <u>J. Virol.</u> 70:2318-2323, 1996 DM Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," <u>Proc. Natl. Acad. Sci. USA</u> 93:11359-11365, 1996	DK		Gene Ass	ignment of mRNAs of Human Parainfluenz	za Virus 3," <u>Virology</u> 147:177-			
Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996	DL				Stable Expression of a Foreign			
	₩ DM							
DITTO CONSIDERADO	EXAMINER			DATE CONSIDERED				





	70 2000		- 450 2 01 2				
FORM PTO-14	49 (Modified)	Attorney Docket No.: 17634-000320US	Application No.: 09/083,793				
LIST OF PATE	NTS AND PUBLICATIONS FOR	Applicant: Brian R. Murphy et al.					
APPLICANT'S		Filing Date: May 22, 1998	Group: 1641 #16 0.3 3				
MM DN	Schnell et al., "Construction of a No Cell 90:849-857, 1997	ovel Virus that Targets HIV-1-Infected Cells a					
DO	Singh et al., "A Recombinant Measles Virus Expressing Biologically Active Human Interleukin-12," <u>J. Gen. Virol.</u> 80:101-106, 1999						
DP	ingh et al., "A Recombinant Measles Virus expressing Hepatitis B Virus Surface Antigen Induces Humoral nmune Responses in Genetically Modified Mice," <u>J. Virol.</u> 73:4823-4828, 1999						
DQ	Skiadopoulos et al., "Identification of Mutations Contributing to the Temperature-Sensitive, Cold-Adapted, and Attenuation Phenotypes of the Live-Attenuated Cold-Passage 45 (cp45) Human Parainfluenza Virus 3 Candidate Vaccine," J. Virol. 73:1374-1381, 1999						
DR		a Parainfluenza Virus Type 1 Vaccine Candided PIV3 <i>cp</i> 45 Vaccine Virus with Their PIV1					
DS Spielhofer et al., "Chimeric Measles Viruses with a Foreign Envelope," J. Virol. 72:2150-2159, 1998							
DT	DT Tao et al., "A Live Attenuated Recombinant Chimeric Parainfluenza Virus (PIV) Candidate Vaccine Containing the Hemagglutinin-Neuraminidase and Fusion Glycoproteins of PIV1 and the Remaining Proteins from PIV3 Induces Resistance to PIV1 Even in Animals Immune to PIV3" Vaccine 17:1101-1108, 1999						
DU	Vidal et al., "Editing of the Sendai Virus P/C mRNA by G Insertion Occurs during mRNA Synthesis via a Virus- Encoded Activity," J. Virol. 64:239-246, 1990						
DV		a Novel Human Respiratory Syncytial Virus (tor," <u>J. Gen Virol.</u> 70:2625-2635, 1989	Chimeric FG Glycoprotein				
DW		tide Substitution in the Transcription Start Sig cpts248/404 is the Major Determinant of the 247:232-239, 1998a					
DX	Whitehead et al., "Recombinant ReRSV is Attenuated in Chimpanzees	spiratory Syncytial Virus (RSV) Bearing a Se " <u>J. Virol.</u> 72:4467-4471, 1998b	t of Mutations from cold-Passaged				
DY	Whitehead et al., "Recombinant Real Attenuated in Chimpanzees," J. Vir	spiratory Syncytial Virus Bearing a Deletion o <u>ol.</u> 73:3438-3442, 1999	of Either the NS2 or SH Gene is				
DZ	Yu et al., "Sendai Virus-Based Exp 2:457-466, 1997	ression of HIV-1 gp120: Reinforcement by the	ne V(-) Version," Genes to Cells				
EXAMINER		DATE CONSIDERED					

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

10-2-00